Lozić, Edisa; Rižnar, Igor

Source / Izvornik: ASMOSIA XI, Interdisciplinary Studies on Ancient Stone, Proceedings of the XI International Conference of ASMOSIA, 2018, 915 - 923

Conference paper / Rad u zborniku

Publication status / Verzija rada: Published version / Objavljena verzija rada (izdavačev PDF)

https://doi.org/10.31534/XI.asmosia.2015/08.10

Permanent link / Trajna poveznica: https://urn.nsk.hr/urn:nbn:hr:123:502928

Rights / Prava: In copyright/Zaštićeno autorskim pravom.

Download date / Datum preuzimanja: 2025-04-02



Repository / Repozitorij:

FCEAG Repository - Repository of the Faculty of Civil Engineering, Architecture and Geodesy, University of Split







ASMOSIA XI

Interdisciplinary Studies on Ancient Stone

PROCEEDINGS

of the XI ASMOSIA Conference, Split 2015

Edited by Daniela Matetić Poljak and Katja Marasović







Interdisciplinary Studies on Ancient Stone Proceedings of the XI ASMOSIA Conference (Split 2015)

Publishers:

ARTS ACADEMY IN SPLIT UNIVERSITY OF SPLIT

and

UNIVERSITY OF SPLIT FACULTY OF CIVIL ENGINEERING, ARCHITECTURE AND GEODESY

Technical editor: Kate Bošković

English language editor: Graham McMaster

Computer pre-press: Nikola Križanac

> Cover design: Mladen Čulić

Cover page: Sigma shaped mensa of pavonazzetto marble from Diocletian's palace in Split

ISBN 978-953-6617-49-4 (Arts Academy in Split) ISBN 978-953-6116-75-1 (Faculty of Civil Engineering, Architecture and Geodesy)

e-ISBN 978-953-6617-51-7 (Arts Academy in Split) e-ISBN 978-953-6116-79-9 (Faculty of Civil Engineering, Architecture and Geodesy)

CIP available at the digital catalogue of the University Library in Split, no 170529005

Association for the Study of Marble & Other Stones in Antiquity

ASMOSIA XI Interdisciplinary Studies of Ancient Stone

Proceedings of the Eleventh International Conference of ASMOSIA, Split, 18–22 May 2015

> Edited by Daniela Matetić Poljak Katja Marasović







Split, 2018

Nota bene All papers are subjected to an international review. The quality of the images relies on the quality of the originals provided by the authors.

CONTENT

	PRESENTATION	
	NECROLOGY: NORMAN HERZ (1923-2013) by Susan Kane	17
1.	APPLICATIONS TO SPECIFIC ARCHEOLOGICAL QUESTIONS – USE OF MARBLE	
	Hermaphrodites and Sleeping or Reclining Maenads: Production Centres and Quarry Marks Patrizio Pensabene	25
	First Remarks about the Pavement of the Newly Discovered Mithraeum of the Colored Marbles at Ostia and New Investigations on Roman and Late Roman White and Colored Marbles from Insula IV, IX Massimiliano David Stafano Sussi and Marcello Turci	22
	Alabaster. Quarrying and Trade in the Roman World: Evidence from Pompeii and Herculaneum Simon J. Barker and Simona Perna	
	Recent Work on the Stone at the Villa Arianna and the Villa San Marco (Castellammare di Stabia) and Their Context within the Vesuvian Area Simon J. Barker and J. Clayton Fant	65
	Marble Wall Decorations from the Imperial Mausoleum (4 th C.) and the Basilica of San Lorenzo (5 th C.) in Milan: an Update on Colored Marbles in Late Antique Milan <i>Elisabetta Neri, Roberto Bugini and Silvia Gazzoli</i>	79
	Sarcophagus Lids Sawn from their Chests Dorothy H. Abramitis and John J. Herrmann	89
	The Re-Use of Monolithic Columns in the Invention and Persistence of Roman Architecture Peter D. De Staebler	
	The Trade in Small-Size Statues in the Roman Mediterranean: a Case Study from Alexandria Patrizio Pensabene and Eleonora Gasparini	101
	The Marble Dedication of Komon, Son of Asklepiades, from Egypt: Material, Provenance, and Reinforcement of Meaning <i>Patricia A. Butz</i>	109
	Multiple Reuse of Imported Marble Pedestals at Caesarea Maritima in Israel Barbara Burrell	117
	Iasos and Iasian Marble between the Late Antique and Early Byzantine Eras Diego Peirano	123

	Thassos, Known Inscriptions with New Data	
	Iony Kozelj and Manuela Wurch-Kozelj	131
	The Value of Marble in Roman <i>Hispalis</i> : Contextual, Typological	
	Elements Recovered at Nº 17 Goveneta Street (Seville, Spain)	
	Ruth Taylor, Oliva Rodríguez, Esther Ontiveros, María Luisa Loza,	
	José Beltrán and Araceli Rodríguez	143
	Giallo Antico in Context. Distribution, Use and Commercial Actors According	
	to New Stratigraphic Data from the Western Mediterranean (2 nd C. Bc – Late 1 st C. Ad)	
	Stefan Ardeleanu	155
	Amethystus: Ancient Properties and Iconographic Selection	
	Luigi Pedroni	167
2.	PROVENANCE IDENTIFICATION I: (MARBLE)	
	Unraveling the Carrara – Göktepe Entanglement	
	Walter Prochaska, Donato Attanasio and Matthias Bruno	175
	The Marble of Roman Imperial Portraits	
	Donato Attanasio, Matthias Bruno, Walter Prochaska and Ali Bahadir Yavuz	185
	Tracing Alabaster (Gypsum or Anhydrite) Artwork Using Trace Element Analysis	
	and a Multi-Isotope Approach (Sr, S, O)	
	Lise Leroux, Wolfram Kloppmann, Philippe Bromblet, Catherine Guerrot, Authomy H. Cooper, Dierro Yves La Pogam, Dominique Vingtain and Neal Worley.	105
	Anthony H. Cooper, Flerre-Ives Le Pogam, Dominique Vinglain and Noel Worley	195
	Roman Monolithic Fountains and Thasian Marble	
	Annewies van den Hoek, Donato Attanasio and John J. Herrmann	207
	Archaeometric Analysis of the Alabaster Thresholds of Villa A, Oplontis	
	(Torre Annunziata, Italy) and New Sr and Pb Isotopic Data for	
	Alabastro Ghiaccione del Circeo Simon I. Barker. Simona Perna. I. Clavton Fant. Lorenzo Lazzarini and Igor M. Villa	215
	Roman Villas of Lake Garda and the Occurrence of Coloured Marbles	
	in the Western Part of "Regio X Venetia et Histria" (Northern Italy)	231
	Koberto Bugini, Luisu Fout unu Lusubertu Kojjiu	231
	Calcitic Marble from Thasos in the North Adriatic Basin:	
	Ravenna, Aquileia, and Milan	220
	John J. Herrmann, Robert H. Tykot and Annewles van den Hoek	239
	Characterisation of White Marble Objects from the Temple of Apollo	
	and the House of Augustus (Palatine Hill, Kome) Francesca Giustini Mauro Brilli Enrico Callocchio and Patrizio Pansahana	247
	1 rancesca Giustinii, maaro Britti, Enrico Gaudeento ana fairizio fensadene	247
	Study and Archeometric Analysis of the Marble Elements Found	
	in the Roman Theater at Aeclanum (Mirabella Eclano, Avellino - Italy)	255
	Anionio mesisca, Lorenzo Lazzarini, Stejano Cancelliere and Monica Salvadori	255

Two Imperial Monuments in Puteoli:	
Use of Proconnesian Marble in the Domitianic and Trajanic Periods in Campania	
Irene Bald Romano, Hans Rupprecht Goette, Donato Attanasio and Walter Prochaska	
Coloured Marbles in the Neapolitan Pavements (16th And 17th Centuries):	
the Church of Santi Severino e Sossio	
Roberto Bugini, Luisa Folli and Martino Solito	
Roman and Early Byzantine Sarcophagi of Calcitic Marble from Thasos in Italy:	
Ostia and Siracusa	
Donato Attanasio, John J. Herrmann, Robert H. Tykot and Annewies van den Hoek	
Revisiting the Origin and Destination of the Late Antique Marzamemi	
'Church Wreck' Cargo	
Justin Leidwanger, Scott H. Pike and Andrew Donnelly	291
The Marbles of the Sculptures of Felix Romuliana in Serbia	
Walter Drochacka and Maja Živić	301
wuller Frochusku unu iviuju Zivic	
Calcitic Marble from Thasos and Proconnesos in Nea Anchialos (Thessaly)	
and Thessaloniki (Macedonia)	
Vincent Barbin, John J. Herrmann, Aristotle Mentzos and Annewies van den Hoek	311
Architectural Decoration of the Imperial Agora's Porticoes at Iasos	
Fulvia Bianchi, Donato Attanasio and Walter Prochaska	
The Winged Victory of Samothrace - New Data on the Different Marbles	
Used for the Monument from the Sanctuary of the Great Gods	
Annie Blanc, Philippe Blanc and Ludovic Laugier	331
Polychrome Marbles from the Theatre of the Sanctuary of Apollo Pythios	
in Gortyna (Crete)	
Jacopo Bonetto, Nicolò Mareso and Michele Bueno	
Paul the Silentiary, Hagia Sophia, Onyx, Lydia, and Breccia Corallina	
John J. Herrmann and Annewies van den Hoek	
Incrustations from Colonia Ulpia Traiana (Near Modern Xanten, Germany)	
Vilma Ruppienė and Ulrich Schüssler	351
11	
Stone Objects from Vindobona (Austria) - Petrological Characterization	
and Provenance of Local Stone in a Historico-Economical Setting	
Andreas Rohatsch, Michaela Kronberger, Sophie Insulander,	
Martin Mosser and Barbara Hodits	
Marbles Discovered on the Site of the Forum of Vaison-la-Romaine (Vaucluse, France):	
Preliminary Results	
Elsa Roux, Jean-Marc Mignon, Philippe Blanc and Annie Blanc	373
Updated Characterisation of White Saint-Beat Marble. Discrimination Parameters	
Hernando Rovo Plumed. Pilar Lapeunte. José Antonio Cuchí	
Mauro Brilli and Marie-Claire Savin	

Grey and Greyish Banded Marbles from the Estremoz Anticline in Lusitania Pilar Lapuente, Trinidad Nogales-Basarrate, Hernando Royo Plumed, Mauro Brilli and Marie-Claire Savin	391
New Data on Spanish Marbles: the Case of <i>Gallaecia</i> (NW Spain) Anna Gutiérrez Garcia-M., Hernando Royo Plumed and Silvia González Soutelo	401
A New Roman Imperial Relief Said to Be from Southern Spain: Problems of Style, Iconography, and Marble Type in Determining Provenance John Pollini, Pilar Lapuente, Trinidad Nogales-Basarrate and Jerry Podany	413
Reuse of the <i>Marmora</i> from the Late Roman Palatial Building at Carranque (Toledo, Spain) in the Visigothic Necropolis <i>Virginia García-Entero, Anna Gutiérrez Garcia-M. and Sergio Vidal Álvarez</i>	427
Imperial Porphyry in Roman Britain David F. Williams	435
Recycling of Marble: Apollonia/Sozousa/Arsuf (Israel) as a Case Study Moshe Fischer, Dimitris Tambakopoulos and Yannis Maniatis	443
Thasian Connections Overseas: Sculpture in the Cyrene Museum (Libya) Made of Dolomitic Marble from Thasos John J. Herrmann and Donato Attanasio	457
Marble on Rome's Southwestern Frontier: Thamugadi and Lambaesis Robert H. Tykot, Ouahiba Bouzidi, John J. Herrmann and Annewies van den Hoek	467
Marble and Sculpture at Lepcis Magna (Tripolitania, Libya): a Preliminary Study Concerning Origin and Workshops Luisa Musso, Laura Buccino, Matthias Bruno, Donato Attanasio and Walter Prochaska	481
The Pentelic Marble in the Carnegie Museum of Art Hall of Sculpture, Pittsburgh, Pennsylvania	401
Analysis of Classical Marble Sculptures in the Michael C. Carlos Museum, Emory University, Atlanta	491
Robert H. Tykot, John J. Herrmann, Renée Stein, Jasper Gaunt, Susan Blevins and Anne R. Skinner	501
PROVENANCE IDENTIFICATION II: (OTHER STONES)	
Aphrodisias and the Regional Marble Trade. The <i>Scaenae Frons</i> of the Theatre at Nysa <i>Natalia Toma</i>	513

The Stones of Felix Romuliana (Gamzigrad, Serbia)					
Bojan Djurić, Divna Jovanović, Stefan Pop Lazić and Walter Prochaska					
Aspects of Characterisation of Stone Monuments from Southern Pannonia					
Branka Migotti	537				
6					

3.

	The Budakalász Travertine Production Bojan Djurić, Sándor Kele and Igor Rižnar	545
	Stone Monuments from Carnuntum and Surrounding Areas (Austria) – Petrological Characterization and Quarry Location in a Historical Context	
	Gabrielle Kremer, Isabella Kitz, Beatrix Moshammer, Maria Heinrich and Erich Draganits	557
	Espejón Limestone and Conglomerate (Soria, Spain):	
	Archaeometric Characterization, Quarrying and Use in Roman Times	
	Virginia Garcia-Entero, Anna Gutiérrez Garcia-M, Sergio Vidal Alvarez, María J. Peréx Agorreta and Eva Zarco Martínez	567
	The Use of Alcover Stone in Roman Times (Tarraco, Hispania Citerior).	
	Contributions to the Officina Lapidaria Tarraconensis	
	Diana Gorostidi Pi, Jordi López Vilar and Anna Gutiérrez Garcia-M.	577
4.	ADVANCES IN PROVENANCE TECHNIQUES, METHODOLOGIES AND DATABASES	
	Grainautlina a Supervised Grain Boundary Extraction Tool	
	Supported by Image Processing and Pattern Recognition	
	Kristóf Csorba, Lilla Barancsuk, Balázs Székely and Judit Zöldföldi	587
	A Database and GIS Project about Quarrying, Circulation and Use of Stone	
	During the Roman Age in Regio X - Venetia et Histria.	
	The Case Study of the Euganean Trachyte	
	Caterine Previato and Arturo Zara	597
5.	QUARRIES AND GEOLOGY	
	The Distribution of Troad Granite Columns as Evidence for Reconstructing	
	the Management of Their Production	612
	Pairizio Pensabene, javiet A. Domingo ana Isabel Roaa	613
	Ancient Quarries and Stonemasonry in Northern Choria Considiana	
	Hale Güney	621
	Polychromy in Larisaean Quarries and its Relation to Architectural Conception	622
	Gizeni mulei unu Litunț Denkiuș	
	Euromos of Caria: the Origin of an Hitherto Unknown Grey Veined Stepped Marble	
	of Roman Antiquity	
	Matthias Bruno, Donato Attanasio, Walter Prochaska and Ali Bahadir Yavuz	639
	Unknown Painted Quarry Inscriptions from Bacakale at <i>Docimium</i> (Turkey) <i>Matthias Bruno</i>	651
	The Green Schist Marble Stone of Jebel El Hairech (North West of Tunisia):	
	a Multi-Analytical Approach and its Uses in Antiquity	
	Ameur Younès, Mohamed Gaied and Wissem Gallala	659
	Building Materials and the Ancient Quarries at <i>Thamugadi</i> (East of Algeria),	
	Younès Rezkallah and Ramdane Marmi	673
	A C FFFF WC A CONFERENCE VERIFUL A CONFERENCE A CONFERENC	

	The Local Quarries of the Ancient Roman City of <i>Valeria</i> (Cuenca, Spain) Javier Atienza Fuente	683
	The Stone and Ancient Quarries of Montjuïc Mountain (Barcelona, Spain) Aureli Álvarez	693
	<i>Notae Lapicidinarum</i> : Preliminary Considerations about the Quarry Marks from the Provincial Forum of <i>Tarraco</i> <i>Maria Serena Vinci</i>	699
	The Different Steps of the Rough-Hewing on a Monumental Sculpture at the Greek Archaic Period: the Unfinished Kouros of Thasos <i>Danièle Braunstein</i>	711
	A Review of Copying Techniques in Greco-Roman Sculpture Séverine Moureaud	717
	Labour Forces at Imperial Quarries <i>Ben Russell</i>	
	Social Position of Craftsmen inside the Stone and Marble Processing Trades in the Light of Diocletian's Edict on Prices <i>Krešimir Bosnić and Branko Matulić</i>	741
6.	STONE PROPERTIES, WEATHERING EFFECTS AND RESTORATION, AS RELATED TO DIAGNOSIS PROBLEMS, MATCHING OF STONE FRAGMENTS AND AUTHENTICITY	
	Methods of Consolidation and Protection of Pentelic Marble Maria Apostolopoulou, Elissavet Drakopoulou, Maria Karoglou and Asterios Bakolas	749
7.	PIGMENTS AND PAINTINGS ON MARBLE	
	Painting and Sculpture Conservation in Two Gallo-Roman Temples in Picardy (France): Champlieu and Pont-Sainte-Maxence Véronique Brunet-Gaston and Christophe Gaston	
	The Use of Colour on Roman Marble Sarcophagi <i>Eliana Siotto</i>	
	New Evidence for Ancient Gilding and Historic Restorations on a Portrait of Antinous in the San Antonio Museum of Art Jessica Powers, Mark Abbe, Michelle Bushey and Scott H. Pike	783
	Schists and Pigments from Ancient Swat (Khyber Pukhtunkhwa, Pakistan) Francesco Mariottini, Gianluca Vignaroli, Maurizio Mariottini and Mauro Roma	
8.	SPECIAL THEME SESSION: "THE USE OF MARBLE AND LIMESTONE IN THE ADRIATIC BASIN IN ANTIQUITY"	
	Marble Sarcophagi of Roman Dalmatia Material – Provenance – Workmanship Guntram Koch	809

Funerary Monuments and Quarry Management in Middle Dalmatia Nenad Cambi	827
Marble Revetments of Diocletian's Palace Katja Marasović and Vinka Marinković	
The Use of Limestones as Construction Materials for the Mosaics of Diocletian's Palace Branko Matulić, Domagoj Mudronja and Krešimir Bosnić	855
Restoration of the Peristyle of Diocletian's Palace in Split Goran Nikšić	
Marble Slabs Used at the Archaeological Site of Sorna near Poreč Istria – Croatia <i>Deni Gobić-Bravar</i>	871
Ancient Marbles from the Villa in Verige Bay, Brijuni Island, Croatia Mira Pavletić and Đeni Gobić-Bravar	
Notes on Early Christian Ambos and Altars in the Light of some Fragments from the Islands of Pag and Rab <i>Mirja Jarak</i>	
The Marbles in the Chapel of the Blessed John of Trogir in the Cathedral of St. Lawrence at Trogir <i>Deni Gobić-Bravar and Daniela Matetić Poljak</i>	
The Use of Limestone in the Roman Province of Dalmatia Edisa Lozić and Igor Rižnar	
The Extraction and Use of Limestone in Istria in Antiquity Klara Buršić-Matijašić and Robert Matijašić	925
Aurisina Limestone in the Roman Age: from Karst Quarries to the Cities of the Adriatic Basin <i>Caterina Previato</i>	933
The Remains of Infrastructural Facilities of the Ancient Quarries on Zadar Islands (Croatia) <i>Mate Parica</i>	
The Impact of Local Geomorphological and Geological Features of the Area for the Construction of the Burnum Amphitheatre <i>Miroslav Glavičić and Uroš Stepišnik</i>	951
Roman Quarry Klis Kosa near Salona Ivan Alduk	957
Marmore Lavdata Brattia Miona Miliša and Vinka Marinković	
Quarries of the Lumbarda Archipelago Ivka Lipanović and Vinka Marinković	

Island of Korčula – Importer and Exporter of Stone in Antiquity	
Mate Parica and Igor Borzić	
Four Marbling Motifs in Farly Christian Freecoes	
in Control on d South Delivertic, Duclinging and Den out	
in Central and South Daimatia: Preliminary Report	
Tonči Borovac, Antonija Gluhan and Nikola Radošević	
INDEX OF AUTHORS	1009

THE USE OF LIMESTONE IN THE ROMAN PROVINCE OF DALMATIA

Edisa Lozić and Igor Rižnar

Ljubljana, Slovenia (edisalozic@gmail.com; igor.riznar@telemach.net)

Abstract

The primary objective of this study is to present the methodological approach used in an attempt to determine possible provenience areas (quarries) of the stone material used for the stonemasonry production of the funerary monuments (dated between 1st and 3rd century AD) in the interior of the Roman province of Dalmatia. To illustrate this methodological approach, we have decided to present the results of three regional case studies. The results of the study reveal the possible existence of Roman quarries in the interior of the province of Dalmatia.

Keywords

Roman province Dalmatia, provenance study, limestone

1. Introduction

This paper examines the stone supply used for the stonemasonry production of the funerary monuments in the interior of the Roman province of Dalmatia (today's BiH and parts of Croatia, western Serbia, Montenegro). Even though the number of funerary monuments is small compared to the coastal area of the province of Dalmatia they still provide ample evidence of rich stone masonry production and reveal an existing demand for stone.

In the past, many studies were devoted to different archaeological aspects of the funerary monuments from the interior of the province of Dalmatia, focusing on stylistic groupings, typological development and art history.¹ However, provenance analysis and mechanisms for the distribution of stone material are still in their infancy.

The present research aims to fill this gap by using a specific methodological approach in attempt to locate appropriate (possible) provenience areas (quarries) of the stone material.

There are three basic questions that need to be answered:

- 1. What type of stone material (in geological terms) was used for production of the stone monuments and are there any (micro) regional differences in the use of stone?
- 2. Is it possible to locate stone material source area(s)?
- 3. Is it possible to identify stone material transport routes?

Therefore, the work was organized in three different phases: (i) the first phase aimed at identifying what type of stone material (in geological terms) was used for the production of the stone funerary monuments, (ii) the second phase was devoted to determining the potential locations from which the stone material might have originated i.e. the possibility of locating appropriate quarries, (iii) the third phase was aimed at identifying possible routes of transport.

2. Methods of work

Here the methodological approach used in the study is outlined.

The aim of the first phase was to identify the types of stone material (in geological terms) used for production of the stone funerary monuments from the interior of the province of Dalmatia. To this end, macroscopic petrographic analysis was conducted on 177 funerary monuments curated at the National Museum of Bosnia and Herzegovina as this is the most representative corpus of the funerary monuments from this geographic area. The stone artefacts were macroscopically analysed using a hand lens and lithotypes (described below) were defined on the basis of the petrographic analysis. In addition, the archaeological analysis of the monuments was conducted, in which their cultural – historical background was defined.

The next step was to determine provenance, i.e. the potential locations from which the stone material could have been quarried. Using the finding-site location as the starting point, the lithotype of each monument has enabled comparison with the geology within a 30 km radius.² Data from the 1:100,000 scale basic geologic map

¹ PAŠKVALIN 2012; ZOTOVIĆ 2003; ČREMOŠNIK 1963, 105-125.

² Research has shown that transportation distance for building stone between larger urban centres and quarries was not larger than 30 km (*cf.* RUSSELL 2014).



Fig.1. Graphic representation of GIS analysis workflow

of SFR Yugoslavia (maps and explanatory text) were used for this comparison. Using GIS-analysis enabled us to analyse spatial associations between archaeological (site location) and geological datasets (relevant lithostratigraphic units). The output was a series of maps of the (micro) regions with identified lithostratigraphic units from which particular stone material could have been acquired.

Since the logistics of stone supply within each (micro) region, highly depends on terrain characteristics and the possibility of water transport; we have also taken in account the topographical and the hydrological situation.³ For this purpose the digital elevation model (DEM) with a 25 m spatial resolution⁴ was used and hydrological data digitized from 1: 50, 000 maps. GIS- tools has allowed us to overlay data layers obtained and to identify the existence of potential locations for the quarry and possible routes of transport.

It should be pointed out that this is an initial phase of the study where a basic insight into the material from the artefacts is acquired with a non-destructive method, and in which basic information regarding potential provenance of the lithotypes is defined. In the second phase, the artefacts will be sampled, petrographically and paleontologically analysed, and compared to the exposures of relevant rock formations in the field.

To summarize: the collected datasets consist of the three main data layers: archaeological (site locations), geological (identified relevant lithostratigraphic unit) and spatial data (topographic and hydrological situation) (Fig. 1). By overlaying data layers we were able to obtain the result in form of topographic maps of the micro-regions (a series of maps). The map presents the stone material available in the immediate vicinity of the sites. Based on these maps the possible provenance area and the potential transport corridors were recognised.

3. Case studies

For illustration purposes of this methodological approach, the results of three regional case studies are presented. The areas have been chosen based on the high concentrations of the site locations in which the numerous stone funerary monuments were encountered (Fig. 2).

3.1. Bihać

The first study area is located in the Bihać area in the northwest of Bosnia and Herzegovina, where several archaeological sites with high concentration of stone funerary monuments are located (Fig. 4). Archaeological analysis has shown that the entire corpus (dated between the 1st and the 3rd century) of the funerary monuments from this area exhibits great typological diversity (cinerary urns, lids in the form of simple sloped roofs, stelai, aediculae etc.).⁵ In a typological sense two types of funerary monuments prevail: most cinerary urns and lids in the forms of simple

5 LOZIĆ 2013.

cf. RUSSELL 2014, 78.

Region	Number	Archeological site	Inventory number	Item	height (cm)	width (cm)	depth (cm)	Identification number	Type of stone	Lithotype
	1	Brekovica	96	stela	152	63	20	103	Limestone	А
	2	Čavkići	1501	cinerary urn	13	8	5	2	Limestone	А
	3	Čavkići	1333	cinerary urn lid	15	29	8	3	Limestone	А
	4	Čavkići	1337	cinerary urn lid	20	22	9	18	Limestone	А
	5	Čavkići	1338	cinerary urn lid	15	30	10	19	Limestone	А
	6	Doljani	1331	cinerary urn	38	16	12	7	Limestone	А
	7	Doljani	249	cinerary urn	55	71	72	130	Limestone	А
	8	Golubić	1322	cinerary urn	32	20	14	6	Limestone	А
	9	Golubić	50	edicula	170	50	15	22	Limestone	А
	10	Golubić	421	stela	77	83	15	23	Limestone	А
lać	11	Golubić	246	stela	200	67	17	35	Limestone	Η
Bił	12	Humačka Glavica	1318	cinerary urn	10	7	7	1	Limestone	А
	13	Humačka Glavica	1346	cinerary urn	38	30	29	17	Limestone	А
	14	Pritoka	1345	cinerary urn lid	20	56	57	12	Limestone	А
	15	Pritoka	1445	cinerary urn lid	15	55	47	15	Limestone	А
	16	Pritoka	1343	cinerary urn lid	15	48	46	20	Limestone	А
	17	Pritoka	408	cinerary urn lid	12	55	20	21	Limestone	А
	18	Pritoka	1446	cinerary urn lid	14	60	54	53	Limestone	А
	19	Pritoka	unknown	cinerary urn lid	49	40	10	112	Limestone	А
	20	Pritoka	unknown	edicula	38	77	27	31	Limestone	А
	21	Ribić	589	cinerary urn	52	101	97	131	Limestone	А
	22	Ribić	1827	cinerary urn	42	78	25	132	Limestone	А
	23	Brčani	49	stela	174	78	30	174	Limestone	BD
	24	Homolje	55	stela	178	68	26	94	Limestone	BD
	25	Homolje	57	stela	149	70	28	169	Limestone	BD
<u>ں</u>	26	Homolje	52	stela	170	85	29	172	Limestone	BD
iţno	27	Lisičići	1824	stela	123	70	26	96	Limestone	BD
Ϋ́	28	Lisičići	161	stela	169	67	29	170	Limestone	BD
	29	Lisičići	264	stela	138	63	25	171	Limestone	BD
	30	Ostrožac	56	stela	159	70	23	155	Limestone	BD
	31	Radešine	58	stela	144	62	26	93	Limestone	BD
	32	Mihalievići	267	stela	117	69	26	77	Limestone	С
	33	Sase	161	stela	140	65	23	83	Limestone	C
	34	Sikirići	1826	funerary altar	77	66	51	104	Limestone	С
8	35	Skelani	1839	stela	114	45	18	82	Limestone	С
nic	36	Skelani	unknown	stela	26	29	21	121	Limestone	C
bre	37	Skelani	unknown	stela	32	33	17	122	Limestone	С
Sre	38	Tegare	266	stela	124	60	24	62	Limestone	С
	39	Tegare	265	stela	170	61	24	85	Limestone	С
	40	Tegare	262	stela	91	66	23	105	Limestone	С
	41	Tegare	1831	stela	74	67	22	173	Limestone	С
	41	Tegare	1831	stela	74	67	22	173	Limestone	Č

Fig. 2. List of the funerary monuments from the case study areas on which the macroscopic petrographic analysis was conducted

sloped roofs that were, according to the epigraphic sources, produced for the local population.

Macroscopic petrographic analysis of the material was conducted on the 22 funerary monuments from the Bihać area (Fig. 2). Results of the macroscopic petrographic analysis have shown that funerary monuments from the Bihać area are made of two distinct limestone lithotypes (defined as A and H). The limestone of lithotype A was identified on 21 funerary monuments. The only exception is the funerary stela from Golubić (Fig 2: No. 11) made of the lithotype H limestone.

Description of the lithotypes and their possible provenance area

Lithotype A is white to rarely yellowish porous limestone. Allochems are well-sorted medium to well-rounded spherical grains 0.1 - 0.2 mm in size. Internal structure of the grains could not be established by macroscopic observation. In parts where the sorting is better, the lithotype resembles oolithic limestone but it seems that the spherical



Fig. 3. The figure provides a comparison of macro-photos of lithotype A (Fig. 2: No. 13, on left) and the "bihacit" from the modern quarry (photo: I. Rižnar)

grains are bacterial in origin as the internal structure resembles travertine. According to a sarcophagus (exhibited in front of the Museum), which is the largest artefact made of this lithotype, it is clear that the limestone is massive- to thick-bedded with poorly expressed sedimentary structure. Poorly expressed bedding is manifested as subtle



Fig. 4. Locations of the corresponding lithostratigraphic unit identified on the geological map Bihać (2M2) and archaeological sites referred to in this case study

changes in roundness, sorting and size of the grains. Regarding the porosity and general resemblance with other Neogene rocks of the Central Paratethys, it is clear that the limestone is of Neogene age. Due to its high porosity, lithotype A is much lighter than marble and the Mesozoic limestones from the Dinarides that underwent deep burial. High porosity, homogeneity and isotropy are important characteristics that make the limestone easy to work with, while the very fine grains enable an excellent workability even for the most delicate ornaments.

This kind of limestone is described in explanatory booklets of the geological maps of the area as "travertine –like" fresh water limestone. These rocks are present in the area in several stratigraphic units mapped as "Oligomiocene", and the Upper and Middle Miocene.⁶

The limestone of lithotype A corresponds to the limestone from the modern day quarry in the vicinity of Bihać town where it is known under commercial name "bihacit." From an archaeological point of view the most important characteristic of "bihacit" stone is its high porosity which enables excellent workability and easy extraction (fresh blocks of it can be cut or sawn); in addition, its deposits are very shallow, ca 1—1.5 m under the surface.

All the Neogene limestones that do not belong to the well distinguished Lithotype A are classified into lithotype H. In general lithotype H can be described as brownish to yellowish fine-grained porous limestone without macrofossils. In some artefacts limonitized terigenous grains are present. No sedimentary structures are present in the artefacts. The degree of cementation varies among the artefacts. The fine-grained structure and porosity of lithotype H allows elaboration of very fine details. According to geological maps of the area, lithotype H can be expected among the Oligomiocene succession in the base of the coal series.⁷

The lithotypes are very similar to each other. That is why we are confronted with a frequent problem in identification of the potential source of limestone: geological mapping is not precise enough to identify the differences between the two. This could only be achieved with field testing. This is why we were only able to determine areas, which correspond to potential sources of both.

Based on the geological map of the Bihać area and the descriptions of interpreters geological maps we were able to identify the lithostratigraphic unit $({}^{2}M_{2})$ as the corresponding geological formation in which both lithotypes of the limestone occur.⁸ The potential source area of the stone material is therefore present in the major part of the Bihać area (Fig. 4).

⁷ POLŠAK et al. 1977; POLŠAK et al. 1978.

⁸ In order to be able to identify the geological formation for each lithotype (in lithostratigraphic unit ²M₂) more detailed outcrop mapping will be required.

⁶ POLŠAK et al. 1977; POLŠAK et al. 1978.



Fig. 5. Locations of the corresponding lithostratigraphic unit identified on the geological maps Prozor (T_2 ; $T_{2,3}$, T_3 ;) Mostar (T_3 , T_2^1 , 1 T_2^1); Kalinovik ($aT_3^{2,3}$, $cT_3^{2,3}$), Sarajevo ($T_{2,3}$, T_3) and archaeological sites referred to in this case study

Results and discussion

The results have shown that all finding sites of stone monuments are located within a 1 km radius of a potential source area of the stone material. The only exception is the cinerary urn (Fig. 2: No. 7) from the site of Doljani, which is located the furthest from the possible potential source of the limestone, ca 5 km. Numerous easily accessible surface limestone exposures near the site location lead us to conclude that in the Bihać area we could perhaps expect the existence of numerous small locations from which limestone was obtained. The existence of a large quarry or quarries (at least for the needs of production of the funerary monuments) does not seem likely. However, in order to be able to detect the exact locations of these small-scale, local Roman quarries, systematic terrain surveys are needed.

3.2. Konjic

The second study area is located 59 km southwest of Sarajevo in northern Herzegovina. Numerous archaeological sites with high concentrations of stone funerary monuments are located within 10 km of Konjic town (Fig. 5). The preferred type of funerary monuments on the territory of the Konjic area, during the 2nd and beginning the 3rd century AD, was the stela. The typological and stylistic analysis of the stele from the Konjic area has revealed that they were probably produced in local stonemasonry workshops.⁹ The epigraphic data and women's clothing depicted on the stele suggest that the clients were local people.¹⁰

Macroscopic petrographic analysis of the stone material was conducted on 9 funerary monuments (Fig. 2). Results of the analysis have shown that all funerary monuments from the Konjic area are made of the same type of limestone, defined as lithotype B.

Description of the lithotype and its possible provenance area

The lithotype B is white detrital, bioclastic, partially dolomitized limestone with a "grainstone to packstone" texture. Fragments of shells, echinoderms, and other mollusc fragments are recognizable. The rock is composed of large rhomboidal dolomite crystals. Crystals range in size from 0.2 to 1 mm (0.5 mm on average). The matrix between dolomite crystal reacted to 10% hydrochloric acid demonstrating that partially dolomitized limestone samples prevail and that completely dolomitized samples are very rare. According to the geological maps in the Konjic area the dolomitized white limestone occurs among Middle and Upper Triassic rocks. These have been identified on the basic geological

⁹ LOZIĆ 2013.

¹⁰ LOZIĆ 2013.



Fig. 6. The figure provides a macro-photo of the limestone lithotype C (photo: I. Rižnar)

map on a scale of 1:100,000, Sheet Prozor (T2, T2,3, T3)¹¹, Sheet Mostar (T3, T2, 1; 1T2, 1)¹², Sheet Kalinovil (aT2, 3; cT3, 2,3)¹³, Sheet Sarajevo (T2, 2; T3)¹⁴. The corresponding lithostratigraphic units (i.e. potential source area of the stone material) are also presented in the Upper Neretva valley (Fig. 5).

Results and discussion

The results have shown that all finding sites are located within a 3 km radius of the potential source area of the stone material. According to the geological analysis alone we cannot determine whether the material used for the stonemasonry production of the funerary monuments was sourced in a single large quarry or several smaller ones. However, the very small-scale production of the funerary monuments, produced in a relatively short time period would suggest the existence of a single quarry. The geological map and the transportation conditions narrowed the choices of potential locations for such a quarry to two possibilities (Fig. 5). The first is the outcrop of the limestone near the site Ostrožac under the assumption that the Neretva River was used for transport to the Lisičići, Radešine and Konjic. The second possibility is in the Konjic area at the junction of the Neretva valley and the known Roman road before it crosses over the Ivan pass to the Sarajevo area. Other source areas do not seem suitable since they are located on mountainous

- 13 MOJIĆEVIĆ, TOMIĆ 1981; MOJIĆEVIĆ, TOMIĆ 1982.
- 14 JOVANOVIĆ et al. 1977; JOVANOVIĆ et al. 1978.

and inaccessible locations. However, in order to be able to confirm one or the other quarry systematic terrain surveys are needed.

3.3. Srebrenica

The third study area is located 75 km northeast of Sarajevo in eastern Bosnia and Herzegovina. The archaeological sites at which stone funerary monuments were found are located within 20 km of Srebrenica town (Fig. 7). In the Roman period this region was an important mining territory, with Domavia (Gradina near Srebrenica) as the most significant municipal and administrative centre in the eastern part of the Roman province of Dalmatia. Epigraphic analysis has revealed that in the area of Domavia lived not only local people but also those from different parts of the Roman Empire such as Romans, Greeks, and people from Orient.¹⁵ This is also reflected in the typological and stylistic heterogeneity of the funerary monuments in this region. However, the preferred type of funerary monuments on the territory of the Srebrenica area, during the end 2nd and the 3rd century AD, was the stela with a portrait medallion. The macroscopic petrographic analysis of the material conducted on the 10 funerary monuments revealed that they were all made from the same type of limestone, defined as lithotype C.

Description of the lithotype and its possible provenance area

Lithotype C is a light grey to white limestone breccia of presumably Middle to Upper Triassic age. The breccia clasts are poorly sorted and are measuring from a few mm to 15 cm. The breccia has no matrix; the clasts are separated by stylolithe (pressure solution) seams in which the breccia clasts were partially dissolved. The breccia clasts are cut by a few millimetre thick calcite veins (arranged in conjugate pairs), ending at stylolitic seams. The breccia clasts are composed of light grey to almost white limestone, mudstone to rudstone type with rare, completely recrystallized shells, brachiopods (up to 2 cm) and algae. Lithotype C is a monomictic breccia, composed of angular clasts belonging to only one formation. However, some clasts appear to be brecciated as well. (Fig. 6).

The corresponding lithostratigraphic units have been identified on the basic geological map : 100,000, Sheet Ljubovija $(T_2)^{16}$ and Višegrad $(T_2)^{17}$ (Fig. 7).

- 16 KUBAT et al. 1976; KUBAT et al. 1977.
- 17 OLUJIĆ, KAROVIĆ 1986.

¹¹ SOFILJ, ŽIVANOVIĆ 1979; SOFILJ et al., 1980.

¹² MOJIĆEVIĆ, LAUŠEVIĆ 1971; MOJIĆEVIĆ, LAU-ŠEVIĆ 1973.

¹⁵ ZOTOVIĆ 2003, 19.



Fig. 7. Locations of the corresponding lithostratigraphic unit identified on the geological maps Ljubovija (sheet T_2) and Višegrad (T_2) and archaeological sites referred to in this case study

Results and discussion

Geological analysis showed that the entire corpus was made from a single lithotype C, suggesting a single source of the material. However, such stone material is absent in the region. In a geological sense the area around Srebrenica is characterised by Palaeozoic clastites and Neogene igneous rocks. The quality of this stone outcropping near Srebrenica is insufficient for exploitation. This implies that Roman settlements in the Upper Drina valley were faced with a problem regarding stone supply. Especially in Domavia (Gradina near Srebrenica), one of the biggest settlements in the area, this must have presented a major infrastructure problem. The nearest potential source of this type of limestone is located about 25 km to the east (Fig. 7). This location does not seem a likely source of the limestone, since it is located in a mountainous region and it is almost inaccessible. Taking into account the limitations of regional topography, underlying geological situation and the transportation conditions the situation permitted only one possible location of suitable material: the area near today's Klotijevac, 55 km upstream from Srebrenica. It seems that the Drina River as a transport route presented the only possible solution. The use the Drina River for transportation of stone material (from Zvornik - Sirmium) was already confirmed by recent research of the Dardagani quarry.18

4. Conclusion

The macroscopic-petrographic analysis has revealed that limestone was the first choice for the production of the funerary monuments (dated between 1st and 3rd century AD) in the interior of the Roman province of Dalmatia. By defining the type of stone material used, we were able to locate the potential source area(s). As it seems, apart from the availability of the stone material it was the terrain characteristics that dictated the quarry location. In the Bihać area, the numerous outcrops of limestone near the site location suggest the existence of small location on which limestone was procured. In the Konjic area only two possible locations for the quarry site. In the Srebrenica region the geological and topographical situation narrowed the choice to only one possible location for the quarry. Although determining exact locations is not possible without time-consuming additional fieldwork, our results suffice to point out the possible existence of the quarry locations not known previously.

In the case of Srebrenica we were also able to identify the transport route. Results of the material characterisation reveal that stone was obtained locally and each region had its own limestone source areas.

¹⁸ DJURIĆ et al. 2006,103-138; DJURIĆ et al. 2007, 83-100.

ACKNOWLEDGEMENTS

This paper is based on unpublished doctoral thesis Archaeological analysis of Roman stone masonry production in the interior of the Roman province of Dalmatia, carried out at the University of Ljubljana. Special thanks go to Prof. Dr. Bojan Djurić.

We also wish to thank the National Museum of Bosnia and Herzegovina, the Konjic Regional Museum, the Travnik Regional Museum.

REFERENCES

- ČREMOŠNIK I. 1963: "Nošnja na rimskim spomenicima u Bosni i Hercegovini (Trachtendarstellungen auf römischen Denkmälern in Bosnien und der Herzegowina)", Glasnik Zemaljskog muzeja (Nova serija) XVIII, 105-125.
- DJURIĆ B., DAVIDOVIĆ J., MAVER A., RIŽNAR I. 2006: "Stone use in roman towns. Resorces, transport, products and clients. Case study Sirmium. First report." (Upotreba kamena u rimskim gradovima. Izvori, transport, proizvodi i klienti. Primer Sirmijum. Prvi izveštaj), Starinar LVI 103-138.
- DJURIĆ B., DAVIDOVIĆ J., MAVER A., RIŽNAR I. 2007: "Stone use in roman towns. Resorces, transport, products and clients. Case study Sirmium. Second report." (Upotreba kamena u rimskim gradovima. Izvori, transport, proizvodi i klienti. Primer Sirmijum. Drugi izveštaj), Starinar LVII, 83-100.
- JOVANOVIČ R., MOJIĆEVIĆ M., TOKIĆ S., ROKIĆ L. 1977: Osnovna geološka karta SFRJ 1 : 100 000. List Sarajevo K34 - 1 (Basic geological map of SFRY 1: 100.000. The Sarajevo sheet). Zavod za inženjersku geologiju i hidrogeologiju Građevinskog fakulteta u Sarajevu (1962-1967), Savezni geološki zavod Beograd.
- JOVANOVIČ R., MOJIĆEVIĆ M., TOKIĆ S., ROKIĆ L. 1978: Osnovna geološka karta SFRJ 1:100.000. Tumač za list Sarajevo K34 -1 (Basic geological map of SFRY 1: 100.000. Geology of the Sarajevo sheet), Institut za geološka istraživanja Sarajevo (1971), Savezni geološki zavod Beograd.
- KUBAT I., RELJIĆ D., VELJKOVIĆ D., STRAJIN V., BEGIĆ
 F., DIMITROV P., MOJSILOVIĆ S., BAKLAIĆ
 D., ĐOKOVIĆ I., VUKANOVIĆ M., NASTIĆ V.
 1976: Osnovna geološka karta SFRJ 1 : 100 000. List
 Ljubovija K34-135 (Basic geological map of SFRY 1:
 100.000. The Ljubovija sheet), Institut za geološka
 istraživanja Sarajevo, Zavod za geološka i geofizička
 istraživanja Beograd (1959-1963), Savezni geološki
 zavod Beograd.
- KUBAT I., RELJIĆ D., STRAIN D., BEGIĆ F., DIMI-TROV P. 1977: Osnovna geološka karta SFRJ 1:100.000. Tumač za list Ljubovija, L 34-135 (Basic geological map of SFRY 1: 100.000. Geology of the Ljubovija sheet), Geološki zavod Sarajevo (1968), Savezni geološki zavod Beograd.
- LOZIĆ E. 2013: Arheološka analiza rimskodobne kamnoseške produkcije v notranjosti rimske province Dalmacije (Archaeological analysis of the Roman stonemasonry production in the interior of Roman province of Dalmatia, Unpublished doctoral thesis), University of Ljubljana.

- MOJIĆEVIĆ M., LAUŠEVIĆ M. 1971: Osnovna geološka karta SFRJ 1:100.000. List Mostar K33-24 (Basic geological map of SFRY 1: 100.000. The Mostar sheet), Institut za geološka istraživanja Sarajevo (1971), Savezni geološki zavod Beograd.
- MOJIĆEVIĆ M., LAUŠEVIĆ M. 1973: Osnovna geološka karta SFRJ 1:100.000. Tumač za list Mostar K33-24 (Basic geological map of SFRY 1: 100.000. Geology of the Mostar sheet). Geološki zavod Sarajevo (1967), Savezni geološki zavod Beograd.
- MOJIĆEVIĆ M., TOMIĆ B. 1981: Osnovna geološka karta SFRJ 1:100.000. list Kalinovik K34-13 (Basic geological map of SFRY 1: 100.000. The Kalinovik sheet). Institut za geološka istraživanja Sarajevo (1965), Savezni geološki zavod Beograd.
- MOJIĆEVIĆ M., TOMIĆ B. 1982: Osnovna geološka karta SFRJ 1: 100.000. Tumač za list Kalinovik K34-13 (Basic geological map of SFRY 1: 100.000. Geology of the Kalinovik sheet). Institut za geologiju Sarajevo, Savezni geološki zavod, Geoinženjering (1981), Beograd.
- OLUJIĆ J., KAROVIĆ J. 1986: Osnovna geološka karta SFRJ 1:100.000. list Višegrad K34-3 (Basic geological map of SFRY 1: 100.000. The Višegrad sheet). Geoinženjering-institut za geologiju Sarajevo i Geološki institut Beograd (1970-1980), Savezni geološki zavod Beograd.
- PAŠKVALIN V. 2012: "Antični sepulkralni spomenici s područja Bosne i Hercegovine (Antique Sepulchral Monuments from Bosnia and Herzegovina)". Djela / Knjiga LXXXIII. Centar za balkanološka ispitivanja. Knjiga 9. Akademija nauka i umjetnosti Bosne i Hercegovine, Sarajevo.
- POLŠAK A., JURŠA M., ŠPARICA M., ŠIMUNIĆ A.
 1977: Osnovna geološka karta SFRJ 1 : 100 000.
 List Bihać L33-116 (Basic geological map of SFRY
 1: 100.000. The Bihać sheet). Institut za geološka istraživanja Zagreb (1962 -1967), Savezni geološki zavod Beograd.
- POLŠAK A., CRNKO J., ŠIMUNIĆ A., ŠIMUNIĆ A., ŠPARICA M., JURIŠA M. 1978: Osnovna geološka karta SFRJ 1:100.000. Tumač za list Bihać L33-116 (Basic geological map of SFRY 1: 100.000. Geology of the Bihać sheet). Institut za geološka istraživanja Zagreb (1967), Savezni geološki zavod Beograd.
- RUSSELL B. 2014: The Economics of the Roman Stone Trade. Oxford Studies on the Roman Economy, Oxford.

- SOFILIJ J., ŽIVANOVIĆ M. 1979: Osnovna geološka karta SFRJ 1 : 100 000. List Prozor K33-12 (Basic geological map of SFRY 1: 100.000. The Prozor sheet). Institut za geološka istraživanja Sarajevo (1965 -1971), Savezni geološki zavod Beograd.
- SOFILIJ J., ŽIVANOVIĆ M. 1980: Osnovna geološka karta SFRJ 1:100.000. Tumač za list Prozor K33-12 (Basic geological map of SFRY 1: 100.000. Geology of the Prozor sheet). Institut za geološka istraživanja Sarajevo (1971), Savezni geološki zavod Beograd.
- ZOTOVIĆ, R. 2003, "Romanisation of the population of the eastern part of the Roman province of Dalmatia", Balcanica 34, 19-38.